

AERODROME CHART - ICAO

41°14'08"N
008°40'41"W

ELEV 69 m

PORTO ARR INFORMATION 124.305
PORTO DEP INFORMATION 121.680

PORTO DELIVERY 118.930
PORTO TOWER 118.005


PORTO, Francisco Sá Carneiro (LPPR)

ELEVATIONS AND DIMENSIONS IN METRES
BEARING ARE MAGNETIC

APRON	SURFACE	BEARING STRENGTH
S	CONC	PCN 71/R/B/W/T
T	CONC	PCN 91/R/B/W/T
W	ASPH	PCN 109/F/B/W/T

RWY	DIRECTION	THR COORD	BEARING STRENGTH
17	171°	41°15'38"N 008°41'04"W	PCN 80/F/C/W/T
35	351°	41°14'02"N 008°40'39"W	

VAR 02° W 2020
ANNUAL CHANGE 11' E



TWY	WIDTH	SURFACE	BEARING STRENGTH
A1,A2,A3	23 m	ASPH	PCN 150/F/C/W/T
B	23 m	ASPH	PCN 86/F/C/W/T
C	23 m	ASPH	PCN 146/F/B/W/T
D	25 m	ASPH	PCN 150/F/A/W/T
E1, E2	23 m	ASPH	UNDER EVALUATION
E3,E4,E5	23 m	ASPH	PCN 138/F/B/W/T
F1	23 m	ASPH	PCN 190/F/A/W/T
G	23 m	ASPH	PCN 188/F/A/W/T
H	23 m	ASPH	PCN 150/F/B/W/T
J	23 m	ASPH	PCN 150/F/B/W/T
S1,S2	23 m	ASPH	PCN 86/F/C/W/T
S3,S4,S6	23 m	ASPH	PCN 131/F/B/W/T
S5	25 m	ASPH	PCN 131/F/B/W/T
T	23 m	ASPH	PCN 150/F/B/W/T
Y	23 m	ASPH	PCN 149/F/B/W/T

LEGEND		
RWY- holding position marking	Precision APCH RWY CATII/ III	
	Non-precision and precision APCH RWY CAT I	
Intermediate holding position marking		
TWY centre line lights		
TWY and RWY lights		
Stop bar		
RWY incursion Hotspot		

HS1:
CAUTION, AIRCRAFT LANDING
ON RWY17, MUST NOT VACATE
THE RWY VIA TWY A3,UNLESS
CLEARED BY ATC.

TWY E5:
CAUTION WITH JETBLAST
WHEN CROSSING BEHIND
AIRCRAFT ON TWY G.

New ATIS FREQ.