

HAMBURG  
RNP RWY 05

INSTRUMENT APPROACH PROCEDURE  
TABULAR DESCRIPTION

Approach Segment	Recommended Path Terminator	Way-point Identifier	Coordinates	Fly Over	(True Track°) MAG Track°	Distance (NM)	Turn Direction	Altitude (ft) / Flight Level	Speed Limit (kt IAS)	Vertical Path Angle (°) / TCH (ft)	NAV Specification	Remarks
Initial APCH from DH257	IF	DH257	N 53 26 12.38 E 009 35 57.64	-	-	-	-	A3000+	-	-	RNP APCH	-
	TF	DH258	N 53 28 46.46 E 009 41 05.28	-	(050.0) 047	4.0	-	-	-	-	RNP APCH	-
Initial APCH from HAM	IF	HAM	N 53 41 08.07 E 010 12 17.99	-	-	-	-	A4000+	-	-	RNP APCH	-
	TF	DH227	N 53 37 42.37 E 010 12 13.21	-	(180.8) 178	3.4	-	-	@220	-	RNP APCH	-
	TF	DH233	N 53 22 22.56 E 009 41 19.07	-	(230.4) 228	24.0	-	-	-	-	RNP APCH	-
	TF	DH257	N 53 26 12.38 E 009 35 57.64	-	(320.1) 317	5.0	-	A3000+	-	-	RNP APCH	-
	TF	DH258	N 53 28 46.46 E 009 41 05.28	-	(050.0) 047	4.0	-	-	-	-	RNP APCH	-
APCH	TF	ANEXI	N 53 31 20.05 E 009 46 12.99	-	(050.0) 047	4.0	-	A3000+	170+	-	RNP APCH	-
	TF	RW05	N 53 37 11.85 E 009 58 01.79	Y	(050.1) 047	9.2	-	-	-	-3.00/50	RNP APCH	-
Missed APCH	CF	DH031	N 53 41 25.87 E 010 06 37.89	-	(050.3) 048	6.6	-	-	-	-	RNP APCH	-
	TF	DH032	N 53 40 49.55 E 010 18 11.93	Y	(095.0) 092	6.9	-	-	-	-	RNP APCH	-
	DF	HAM	N 53 41 08.07 E 010 12 17.99	-	-	-	R	-	230-	-	RNP APCH	-

RNAV HOLDING IDENTIFICATION

Recommended Path Terminator	Holding Fix	Coordinates	Inbound (True Track°) MAG Track°	Outbound Time (min) / Distance (NM)	Turn Direction	Altitude (ft) / Flight Level	Speed Limit (kt IAS)	Remarks
HM	HAM	N 53 41 08.07 E 010 12 17.99	(009.0) 006	1 MIN	R	A2200+	230-	-